


## IMAGEN



## COTAS GENERALES



## ACABADOS



## MANTENIMIENTO

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.

## DESCRIPCIÓN

Aplique de pared inspirado en las clásicas lámparas de despacho. La pantalla metálica de latón toma todo el protagonismo decorativo y gracias a la rotación y modulación de los elementos se crean composiciones originales.

## ESPECIFICACIONES GENERALES

Montaje	Pared/Techo
Ambiente	Interior
IP	20

## MATERIALES

Pantallas	Latón
Base de anclaje	Acero

## ACABADOS

Latón	Latón, Latón Envejecido, Plata Envejecida, Bronce
Acero	Latón, Negro Texturado, Blanco Texturado

## CARACTERÍSTICAS ELÉCTRICAS

Clase de aislamiento	Clase I
Tipo fuente de luz	LED
Tipo LED	G9
Potencia total	2 x 4W
Temperatura de color	2700K
Voltaje AC	220-240v
Frecuencia	50-60Hz
Regulación ( <i>Sujeto a bombilla* regulable</i> )	TRIAC ( <i>corde de fase</i> ) DALI bajo pedido

\* Bombilla no incluida



## DIMENSIONES Y EMBALAJE

Cuerpo	15X55cm
Peso neto	1,15kg
Medida bulto 1	30x70x20cm
Volumen bulto	0,018m <sup>3</sup>
Peso bulto	3,15kg

IMAGE



DESCRIPTION

Wall light inspired by classic office lamps. The metal brass screen takes decorative centre stage. Original compositions have been created thanks to the rotation and modulation of these elements.

GENERAL SPECIFICATIONS

Installation	Wall/Ceiling
Ambient	Indoor
IP	20


MATERIALS

Shade	Brass
Base	Steel

FINISHES

Brass	Brass, Antique Brass, Pewter, Bronze
Steel	Brass, Textured Black, Textured White

GENERAL DIMENSIONS




ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	G9
Rated input wattage	2 x 4W
Colour Temperature	2700K
AC Voltage	220-240v
Frequency	50-60Hz
Dimmer <i>(Subject to dimmable light bulb*)</i>	TRIAC <i>(phase cut)</i> DALI on request

\* Light bulb not included



FINISHES



DIMENSIONS AND PACKAGING

Body	15X55cm
Net weight	1.15kg
Box dimension	30x70x20cm
Box volume	0.018m <sup>3</sup>
Box weight	3.15kg

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

## IMAGEN



## DESCRIPCIÓN

Aplique de pared inspirado en las clásicas lámparas de despacho. La pantalla metálica de latón toma todo el protagonismo decorativo y gracias a la rotación y modulación de los elementos se crean composiciones originales.

## ESPECIFICACIONES GENERALES

Montaje	Pared/Techo
Ambiente	Interior
IP	20

## MATERIALES


Pantallas	Latón
Base de anclaje	Acero

## ACABADOS

Latón	Latón, Latón Envejecido, Plata Envejecida, Bronce
Acero	Latón, Negro Texturado, Blanco Texturado

## COTAS GENERALES

32 cm



19 cm



## CARACTERÍSTICAS ELÉCTRICAS

Clase de aislamiento	Clase I
Tipo fuente de luz	LED
Tipo LED	G9
Potencia total	2 x 4W
Temperatura de color	2700K
Voltaje AC	220-240v
Frecuencia	50-60Hz
Regulación ( <i>Sujeto a bombilla* regulable</i> )	TRIAC ( <i>corde de fase</i> ) DALI bajo pedido

\* Bombilla no incluida



## ACABADOS



## DIMENSIONES Y EMBALAJE

Cuerpo	19X32cm
Peso neto	1,15kg

Medida bulto 1	30x40x20cm
Volumen bulto	0,024m <sup>3</sup>
Peso bulto	3,15kg

## MANTENIMIENTO

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.

## IMAGE



## DESCRIPTION

Wall light inspired by classic office lamps. The metal brass screen takes decorative centre stage. Original compositions have been created thanks to the rotation and modulation of these elements.

## GENERAL SPECIFICATIONS

Installation	Wall/Ceiling
Ambient	Indoor
IP	20

## MATERIALS


Shade	Brass
Base	Steel

## FINISHES

Brass	Brass, Antique Brass, Pewter, Bronze
Steel	Brass, Textured Black, Textured White

## GENERAL DIMENSIONS

32 cm



19 cm


## ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	G9
Rated input wattage	2 x 4W
Colour Temperature	2700K
AC Voltage	220-240v
Frequency	50-60Hz
Dimmer <i>(Subject to dimmable light bulb*)</i>	TRIAC <i>(phase cut)</i> DALI on request

\* Light bulb not included



## FINISHES



## DIMENSIONS AND PACKAGING

Body	19X32cm
Net weight	1.15kg

Box dimension	30x40x20cm
Box volume	0.024m <sup>3</sup>
Box weight	3.15kg

## MAINTENANCE



Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

## IMAGEN





## COTAS GENERALES

55 cm



55 cm

## ACABADOS



## MANTENIMIENTO

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.

## DESCRIPCIÓN

Aplique de pared inspirado en las clásicas lámparas de despacho. La pantalla metálica de latón toma todo el protagonismo decorativo y gracias a la rotación y modulación de los elementos se crean composiciones originales.

## ESPECIFICACIONES GENERALES

Montaje	Pared/Techo
Ambiente	Interior
IP	20

## MATERIALES

Pantallas	Latón
Base de anclaje	Acero

## ACABADOS

Latón	Latón, Latón Envejecido, Plata Envejecida, Bronce
Acero	Latón, Negro Texturado, Blanco Texturado

## CARACTERÍSTICAS ELÉCTRICAS

Clase de aislamiento	Clase I
Tipo fuente de luz	LED
Tipo LED	G9
Potencia total	4 x 4W
Temperatura de color	2700K
Voltaje AC	220-240v
Frecuencia	50-60Hz
Regulación ( <i>Sujeto a bombilla* regulable</i> )	TRIAC ( <i>corde de fase</i> ) DALI bajo pedido

\* Bombilla no incluida



## DIMENSIONES Y EMBALAJE

Cuerpo	55x55cm
Peso neto	2,65kg

Medida bulto 1	70x70x20cm
Volumen bulto	0,098m <sup>3</sup>
Peso bulto	5,65kg

IMAGE



DESCRIPTION

Wall light inspired by classic office lamps. The metal brass screen takes decorative centre stage. Original compositions have been created thanks to the rotation and modulation of these elements.

GENERAL SPECIFICATIONS

Installation	Wall/Surface
Ambient	Indoor
IP	20


MATERIALS

Shade	Brass
Base	Steel

FINISHES

Brass	Brass, Antique Brass, Pewter, Bronze
Steel	Brass, Textured Black, Textured White

GENERAL DIMENSIONS



ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	G9
Rated input wattage	4 x 4W
Colour Temperature	2700K
AC Voltage	220-240v
Frequency	50-60Hz
Dimmer <i>(Subject to dimmable light bulb*)</i>	TRIAC <i>(phase cut)</i> DALI on request

\* Light bulb not included



FINISHES



DIMENSIONS AND PACKAGING

Body	55x55cm
Net weight	2.65kg
Box dimension	70x70x20cm
Box volume	0.098m <sup>3</sup>
Box weight	5.65kg

MAINTENANCE



Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

## IMAGEN





## COTAS GENERALES

55 cm



55 cm

## ACABADOS



## MANTENIMIENTO

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.

## DESCRIPCIÓN

Aplique de pared inspirado en las clásicas lámparas de despacho. La pantalla metálica de latón toma todo el protagonismo decorativo y gracias a la rotación y modulación de los elementos se crean composiciones originales.

## ESPECIFICACIONES GENERALES

Montaje	Pared/Techo
Ambiente	Interior
IP	20

## MATERIALES

Pantallas	Latón
Base de anclaje	Acero

## ACABADOS

Latón	Latón, Latón Envejecido, Plata Envejecida, Bronce
Acero	Latón, Negro Texturado, Blanco Texturado

## CARACTERÍSTICAS ELÉCTRICAS

Clase de aislamiento	Clase I
Tipo fuente de luz	LED
Tipo LED	G9
Potencia total	8 x 4W
Temperatura de color	2700K
Voltaje AC	220-240v
Frecuencia	50-60Hz
Regulación ( <i>Sujeto a bombilla* regulable</i> )	TRIAC ( <i>corde de fase</i> ) DALI bajo pedido

\* Bombilla no incluida



## DIMENSIONES Y EMBALAJE

Cuerpo	55x55cm
Peso neto	3.15kg

Medida bulto 1	70x70x30cm
Volumen bulto	0.147m <sup>3</sup>
Peso bulto	5.15kg

IMAGE



DESCRIPTION

Wall light inspired by classic office lamps. The metal brass screen takes decorative centre stage. Original compositions have been created thanks to the rotation and modulation of these elements.

GENERAL SPECIFICATIONS

Installation	Wall/Ceiling
Ambient	Indoor
IP	20


MATERIALS

Shade	Brass
Base	Steel

FINISHES

Brass	Brass, Antique Brass, Pewter, Bronze
Steel	Brass, Textured Black, Textured White

GENERAL DIMENSIONS



ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	G9
Rated input wattage	8 x 4W
Colour Temperature	2700K
AC Voltage	220-240v
Frequency	50-60Hz
Dimmer <i>(Subject to dimmable light bulb*)</i>	TRIAC <i>(phase cut)</i> DALI on request

\* Light bulb not included



FINISHES



DIMENSIONS AND PACKAGING

Body	55x55cm
Net weight	3.15kg
Box dimension	70x70x30cm
Box volume	0.147m <sup>3</sup>
Box weight	5.15kg

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.



## IMAGEN



## DESCRIPCIÓN

Aplique de pared inspirado en las clásicas lámparas de despacho. La pantalla metálica de latón toma todo el protagonismo decorativo y gracias a la rotación y modulación de los elementos se crean composiciones originales.

## ESPECIFICACIONES GENERALES

Montaje	Pared/Techo
Ambiente	Interior
IP	20

## MATERIALES


Pantallas	Latón
Base de anclaje	Acero

## ACABADOS

Latón	Latón, Latón Envejecido, Plata Envejecida, Bronce
Acero	Latón, Negro Texturado, Blanco Texturado

## COTAS GENERALES

46.5 cm



46.5 cm



## CARACTERÍSTICAS ELÉCTRICAS

Clase de aislamiento	Clase I
Tipo fuente de luz	LED
Tipo LED	G9
Potencia total	4 x 4W
Temperatura de color	2700K
Voltaje AC	220-240v
Frecuencia	50-60Hz
Regulación ( <i>Sujeto a bombilla* regulable</i> )	TRIAC ( <i>corde de fase</i> ) DALI bajo pedido

\* Bombilla no incluida



## ACABADOS



## DIMENSIONES Y EMBALAJE

Cuerpo	46,5 x 46,5cm
Peso neto	2,65kg

Medida bulto 1	60x60x20cm
Volumen bulto	0,147m <sup>3</sup>
Peso bulto	4,65kg

## MANTENIMIENTO

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.

IMAGE



DESCRIPTION

Wall light inspired by classic office lamps. The metal brass screen takes decorative centre stage. Original compositions have been created thanks to the rotation and modulation of these elements.

GENERAL SPECIFICATIONS

Installation	Wall/Ceiling
Ambient	Indoor
IP	20

MATERIALS


Shade	Brass
Base	Steel

FINISHES

Brass	Brass, Antique Brass, Pewter, Bronze
Steel	Brass, Textured Black, Textured White

GENERAL DIMENSIONS

46.5 cm



46.5 cm



ELECTRICAL CHARACTERISTICS

Safety class	Class I
Light source	LED
LED type	G9
Rated input wattage	4 x 4W
Colour Temperature	2700K
AC Voltage	220-240v
Frequency	50-60Hz
Dimmer <i>(Subject to dimmable light bulb*)</i>	TRIAC <i>(phase cut)</i> DALI on request

\* Light bulb not included



FINISHES



DIMENSIONS AND PACKAGING

Body	46.5x46.5cm
Net weight	2.65kg

Box dimension	60x60x20cm
Box volume	0.147m <sup>3</sup>
Box weight	4.65kg

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.