


IMAGEN



DESCRIPCIÓN

Fluor es un aplique de pared y techo que reinterpreta el clásico fluorescente para llevarlo a entornos más elegantes. Gracias a los tres tamaños y dos alturas en que se presenta consigue crear múltiples combinaciones jugando con la sencillez y expresividad de la línea recta. Está fabricado con tubo LED de alta eficiencia y larga durabilidad.

ESPECIFICACIONES GENERALES

Montaje Pared/Techo
 Ambiente Interior
 IP 20


MATERIALES

Base anclaje Acero

ACABADOS

Acero Latón, Negro Texturado, Blanco Texturado

COTAS GENERALES




CARACTERÍSTICAS ELÉCTRICAS

Clase de aislamiento Clase II
 Tipo fuente de luz LED
 Tipo LED T8
 Potencia total 1 x 7W (6076)/1 x 16W (6078)/
 1 x 25W (6080)
 Temperatura de color 3000K
 Voltaje AC 220-240v
 Frecuencia 50-60Hz
 Regulación No*

* Regulación inalámbrica bajo pedido



ACABADOS



DIMENSIONES Y EMBALAJE

Cuerpo 64 x 7.7cm (6076)
 124 x 7.7cm (6078)
 154 x 7.7cm (6080)

Peso neto 0.6kg (6076)/0.7kg (6078)/0.8kg (6080)


Medida/ volumen bulto 10x10x70cm/0.007m³ (6076)
 10x10x140cm/0.014m³ (6078)
 10x10x170cm/0.017m³ (6080)

Peso bulto 2kg (6076)/2kg (6078)/2.2kg (6080)

MANTENIMIENTO

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.

IMAGE



DESCRIPTION

Fluor is a wall and ceiling light that reinterprets the classic fluorescent to bring it to more elegant settings. Thanks to the three sizes and two heights in which it is presented, it creates multiple combinations playing with the simplicity and expressiveness of the straight line. It is made with a high-efficiency and long-lasting LED tube.

GENERAL SPECIFICATIONS

Installation Wall/Ceiling
 Ambient Indoor
 IP 20


MATERIALS

Base Steel

FINISHES

Steel Brass, Textured Black, Textured White

GENERAL DIMENSIONS




ELECTRICAL CHARACTERISTICS

Safety class Class II
 Light source LED
 LED type T8
 Rated input wattage 1 x 7W (6076)/1 x 16W (6078)/1 x 25W (6080)
 Colour Temperature 3000K
 AC Voltage 220-240v
 Frequency 50-60Hz
 Dimmer No*

* Wireless dimming on request



FINISHES



DIMENSIONS AND PACKAGING

Body 64 x 7.7cm (6076)
 124 x 7.7cm (6078)
 154 x 7.7cm (6080)

Net weight 0.6kg (6076)/0.7kg (6078)/0.8kg (6080)


Box dimension/volume 10x10x70cm/0.007m³ (6076)
 10x10x140cm/0.014m³ (6078)
 10x10x170cm/0.017m³ (6080)

Box weight 2kg (6076)/2kg (6078)/2.2kg (6080)

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

IMAGE



DESCRIPTION

Fluor is a wall and ceiling light that reinterprets the classic fluorescent to bring it to more elegant settings. Thanks to the three sizes and two heights in which it is presented, it creates multiple combinations playing with the simplicity and expressiveness of the straight line. It is made with a high-efficiency and long-lasting LED tube.

GENERAL SPECIFICATIONS

Installation Wall/Ceiling
 Ambient Indoor
 IP 20


MATERIALS

Base Steel

FINISHES

Steel Brass, Textured Black, Textured White

GENERAL DIMENSIONS



ELECTRICAL CHARACTERISTICS


Safety class Class II
 Light source LED
 LED type T8
 Rated input wattage 1 x 7W (6076)/1 x 16W (6078)/1 x 25W (6080)
 Colour Temperature 3000K
 AC Voltage 110-120v
 Frequency 50-60Hz
 Dimmer No*

* Wireless dimming on request



For U.S.A / Canada contact Our North American Distributor - Zaneen Lighting contact@zaneen.com

FINISHES



DIMENSIONS AND PACKAGING

Body 25.20" x 3.03" (6076)
 48.82" x 3.03" (6078)
 60.63" x 3.03" (6080)

Net weight 0.6kg (6076)/0.7kg (6078)/0.8kg (6080)


Box dimension/volume 3.94"x 3.94"x27.56"/0.007m³ (6076)
 3.94"x 3.94"x55.12"/0.014m³ (6078)
 3.94"x 3.94"x66.93"/0.017m³ (6080)

Box weight 2kg (6076)/2kg (6078)/2.2kg (6080)

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

IMAGEN



DESCRIPCIÓN

Fluor es un aplique de pared y techo que reinterpreta el clásico fluorescente para llevarlo a entornos más elegantes. Gracias a los tres tamaños y dos alturas en que se presenta consigue crear múltiples combinaciones jugando con la sencillez y expresividad de la línea recta. Está fabricado con tubo LED de alta eficiencia y larga durabilidad.

ESPECIFICACIONES GENERALES

Montaje Pared/Techo
 Ambiente Interior
 IP 20


MATERIALES

Base anclaje Acero

ACABADOS

Acero Latón, Negro Texturado, Blanco Texturado

COTAS GENERALES




CARACTERÍSTICAS ELÉCTRICAS

Clase de aislamiento Clase II
 Tipo fuente de luz LED
 Tipo LED T8
 Potencia total 1 x 7W (6077)/1 x 16W (6079)/
 1 x 25W (6081)
 Temperatura de color 3000K
 Voltaje AC 220-240v
 Frecuencia 50-60Hz
 Regulación No*

* Regulación inalámbrica bajo pedido



ACABADOS



DIMENSIONES Y EMBALAJE

Cuerpo 64 x 12cm
 124 x 12cm
 154 x 12cm

Peso neto 0,7kg/0,8kg/0,9kg

Medida/ volumen bulto 10x20x70cm/0,014m³ 10x20x140cm/0,028m³
 10x20x170cm/0,034m³


Peso bulto

2,1kg/2,1kg/2,3kg

MANTENIMIENTO

Limpiar con un paño suave. No utilizar productos amoniacales, disolventes o abrasivos.

IMAGE



DESCRIPTION

Fluor is a wall and ceiling light that reinterprets the classic fluorescent to bring it to more elegant settings. Thanks to the three sizes and two heights in which it is presented, it creates multiple combinations playing with the simplicity and expressiveness of the straight line. It is made with a high-efficiency and long-lasting LED tube.

GENERAL SPECIFICATIONS

Installation Wall/Ceiling
 Ambient Indoor
 IP 20


MATERIALS

Base Steel

FINISHES

Steel Brass, Textured Black, Textured White

GENERAL DIMENSIONS




ELECTRICAL CHARACTERISTICS

Safety class Class II
 Light source LED
 LED type T8
 Rated input wattage 1 x 7W (6077)/1 x 16W (6079)/1 x 25W (6081)
 Colour Temperature 3000K
 AC Voltage 220-240v
 Frequency 50-60Hz
 Dimmer No*

* Wireless dimming on request



FINISHES



DIMENSIONS AND PACKAGING

Body 64 x 12cm (6077)
 124 x 12cm (6079)
 154 x 12cm (6081)

Net weight 0.7kg(6077) /0.8kg(6079) /0.9kg(6081)


Box dimension/volume 10x20x70cm/0.014m³ (6077)
 10x20x140cm/0.028m³(6079)
 10x20x170cm/0.034m³(6081)

Box weight 2.1kg (6077)/2.1kg (6079)/2.3kg (6081)

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

IMAGE



DESCRIPTION

Fluor is a wall and ceiling light that reinterprets the classic fluorescent to bring it to more elegant settings. Thanks to the three sizes and two heights in which it is presented, it creates multiple combinations playing with the simplicity and expressiveness of the straight line. It is made with a high-efficiency and long-lasting LED tube.

GENERAL SPECIFICATIONS

Installation Wall/Ceiling
 Ambient Indoor
 IP 20


MATERIALS

Base Steel

FINISHES

Steel Brass, Textured Black, Textured White

GENERAL DIMENSIONS



ELECTRICAL CHARACTERISTICS


Safety class Class II
 Light source LED
 LED type T8
 Rated input wattage 1 x 7W (6077)/1 x 16W (6079)/1 x 25W (6081)
 Colour Temperature 3000K
 AC Voltage 110-120v
 Frequency 50-60Hz
 Dimmer No*

* Wireless dimming on request



For U.S.A / Canada contact Our North American Distributor - Zaneen Lighting contact@zaneen.com

FINISHES



DIMENSIONS AND PACKAGING

Body 25.20" x 3.03" (6077)
 48.82" x 3.03" (6079)
 60.63" x 3.03" (6081)

Net weight 0.7kg (6077)/0.8kg (6079)/0.9kg (6081)


Box dimension/volume 3.94"x7.87"x27.56"/0.014m³ (6077)
 3.94"x7.87"x55.12"/0.028m³ (6079)
 3.94"x7.87"x66.93"/0.034m³ (6081)

Box weight 2.1kg (6077)/2.1kg (6079)/2.3kg (6081)

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

IMAGE



DESCRIPTION

Fluor is a wall and ceiling light that reinterprets the classic fluorescent to bring it to more elegant settings. Thanks to the three sizes and two heights in which it is presented, it creates multiple combinations playing with the simplicity and expressiveness of the straight line. It is made with a high-efficiency and long-lasting LED tube.

GENERAL SPECIFICATIONS

Installation Wall/Ceiling
 Ambient Indoor
 IP 20


MATERIALS

Base Steel

FINISHES

Steel Brass, Textured Black, Textured White

GENERAL DIMENSIONS




ELECTRICAL CHARACTERISTICS

Safety class Class II
 Light source LED
 LED type T8
 Rated input wattage 1 x 7W (6076)/1 x 16W (6078)/1 x 25W (6080)
 Colour Temperature 3000K
 AC Voltage 220-240v
 Frequency 50-60Hz
 Dimmer No*

* Wireless dimming on request



FINISHES



DIMENSIONS AND PACKAGING

Body 64 x 7.7cm (6076)
 124 x 7.7cm (6078)
 154 x 7.7cm (6080)

Net weight 0.6kg (6076)/0.7kg (6078)/0.8kg (6080)


Box dimension/volume 10x10x70cm/0.007m³ (6076)
 10x10x140cm/0.014m³ (6078)
 10x10x170cm/0.017m³ (6080)

Box weight 2kg (6076)/2kg (6078)/2.2kg (6080)

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

IMAGE



DESCRIPTION

Fluor is a wall and ceiling light that reinterprets the classic fluorescent to bring it to more elegant settings. Thanks to the three sizes and two heights in which it is presented, it creates multiple combinations playing with the simplicity and expressiveness of the straight line. It is made with a high-efficiency and long-lasting LED tube.

GENERAL SPECIFICATIONS

Installation Wall/Ceiling
 Ambient Indoor
 IP 20


MATERIALS

Base Steel

FINISHES

Steel Brass, Textured Black, Textured White

GENERAL DIMENSIONS



ELECTRICAL CHARACTERISTICS

Safety class Class II
 Light source LED
 LED type T8
 Rated input wattage 1 x 7W (6077)/1 x 16W (6079)/1 x 25W (6081)
 Colour Temperature 3000K
 AC Voltage 220-240v
 Frequency 50-60Hz
 Dimmer No*

* Wireless dimming on request



FINISHES



DIMENSIONS AND PACKAGING

Body 64 x 12cm (6077)
 124 x 12cm (6079)
 154 x 12cm (6081)

Net weight 0.7kg(6077) /0.8kg(6079) /0.9kg(6081)

Box dimension/volume 10x20x70cm/0.014m³ (6077)
 10x20x140cm/0.028m³(6079)
 10x20x170cm/0.034m³(6081)

Box weight 2.1kg (6077)/2.1kg (6079)/2.3kg (6081)

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.